

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--------------------------|------------------|---------|------------------|
| S1 | 26 | ("5375070" "5650994" "5740355" "5802041" "5946302" "6003079" "6018625" "6041352" "6108782" "6137782" "6243746" "6466974" "6529499").PN. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:13 |
| S2 | 10120 | ((707/112) or (707/104.1) or (707/103) or (709/104) or (709/226) or (709/223-225) or (709/220) or (709/104) or (370/252-258) or (713/153)).CCLS. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:14 |
| S3 | 101590 | (("707") or ("709") or ("370") or ("713")).CLAS. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:15 |
| S4 | 163355 | memory same writ\$3 same read\$3 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:16 |
| S5 | 69104 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:17 |
| S6 | 16868 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:17 |
| S7 | 1803 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network same device) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:17 |
| S8 | 3818 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:18 |
| S9 | 180 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 same data same (gather\$3 or assembl\$3 or collect\$3)) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:19 |
| S10 | 911 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:19 |

sb

| | | | | | | |
|-----|------|---|--------------------------|----|-----|------------------|
| S11 | 36 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data)and ((gather\$3 or assembl\$3 or collect\$3)same config\$7 same Identif\$6) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:21 |
| S12 | 16 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data)and ((gather\$3 or assembl\$3 or collect\$3)same config\$7 same Identif\$6) and (memory same external same read\$3) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:23 |
| S13 | 5 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data)and ((gather\$3 or assembl\$3 or collect\$3)same config\$7 same Identif\$6) and (memory same external same read\$3 same port same data) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:22 |
| S14 | 4 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data)and ((gather\$3 or assembl\$3 or collect\$3)same config\$7 same Identif\$6) and (memory same external same read\$3) and (@pd>"19970101" and @pd<"20010629") | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:27 |
| S15 | 8 | (memory same writ\$3 same read\$3 same data same (stor\$3 or sav\$3 or keep\$3)) and (port same network) and (record\$3 with data)and ((gather\$3 or assembl\$3 or collect\$3)same config\$7 same Identif\$6) and (memory same external same read\$3) and (@pd>"19990101") | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:40 |
| S16 | 1354 | (program same ((gather\$3 or collect\$3)with data) same network\$3) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:42 |
| S17 | 50 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:42 |

| | | | | | | |
|-----|----|---|--------------------------|----|-----|------------------|
| S18 | 50 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:43 |
| S19 | 48 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (without with network\$3 with connect\$5) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:44 |
| S20 | 3 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (without with network\$3 with connect\$5) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:50 |
| S21 | 0 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (without with network\$3 adj3 connect\$5) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:50 |
| S22 | 30 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:50 |
| S23 | 16 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S3 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:50 |
| S24 | 0 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S1 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:50 |
| S25 | 16 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S3 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 21:14 |
| S26 | 9 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S2 | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 19:51 |

| | | | | | | |
|-----|----|--|--------------------------|----|-----|------------------|
| S27 | 16 | ("4937825" "5495479" "5526489" "5539881" "5559955" "5588119" "5606664" "5613096" "5710885" "5978568" "6003074" "6122276" "6223218" "6360262" "6389464" "6405248").PN. OR ("6502130").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/06/19 20:52 |
| S28 | 15 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S3 and memory | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 21:14 |
| S29 | 3 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and S3 and (memory same port) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 21:35 |
| S30 | 10 | (program same ((gather\$3 or collect\$3)with data) same network\$3) and (data with config\$7 with identif\$6) and (network\$3 adj3 connect\$5) and (memory same port) | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/19 21:48 |
| S31 | 2 | "6115713".pn. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/06/20 12:10 |
| S32 | 2 | "6681232".pn. | USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/11/14 14:10 |
| S33 | 13 | ("5375070" "5650994" "5740355" "5802041" "5946302" "6003079" "6018625" "6041352" "6108782" "6137782" "6243746" "6466974" "6529499").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:09 |
| S34 | 37 | ("4531185" "4556029" "4584643" "4797670" "4831512" "4847758" "4923117" "4941084" "4949299" "5001730" "5084868" "5086499" "5163056" "5170365" "5175852").PN. OR ("6115713").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:10 |
| S35 | 50 | S33 or S34 | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:11 |

| | | | | | | |
|-----|------|---|------------------------------|----|-----|------------------|
| S36 | 37 | S35 and memory | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:11 |
| S37 | 39 | S35 and (memory or disk) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:11 |
| S38 | 10 | S35 and (memory or disk) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:12 |
| S39 | 7 | S35 and (memory or disk) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:15 |
| S40 | 0 | S35 and ((memory or disk) with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:15 |
| S41 | 4328 | (memory or disk) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:15 |
| S42 | 207 | ((memory or disk) with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:49 |
| S43 | 12 | ((memory or disk) with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with device) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:36 |
| S44 | 2 | ((memory or disk) with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with device) and (port with read\$3 interfac\$3 with protocol) and (program\$4 same identif\$5 same configur\$5) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:19 |
| S45 | 1 | ((memory or disk) with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with physical with device) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:36 |

| | | | | | | |
|-----|----|--|------------------------|----|-----|------------------|
| S46 | 0 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information)) and (port with read\$3 interfac\$3 with protocol) and (plug\$3 with (gather\$3 or assembl\$3 or collect\$3)with device) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:37 |
| S47 | 12 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with device) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:49 |
| S48 | 22 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:50 |
| S49 | 22 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node or workstation)) and (port with read\$3 interfac\$3 with protocol) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 15:08 |
| S50 | 8 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node or workstation)) and (port with read\$3 interfac\$3 with protocol) and (physic\$4 near5 connect\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:51 |
| S51 | 8 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node or workstation)) and (port with read\$3 interfac\$3 with protocol) and (physic\$4 near5 connect\$3) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 14:51 |
| S52 | 3 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node or workstation)) and (port with read\$3 interfac\$3 with protocol) and MAC near3 address | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 15:08 |

| | | | | | | |
|-----|---|--|------------------------------|----|-----|------------------|
| S53 | 3 | ((memory or disk)with partition\$3) and ((gather\$3 or assembl\$3 or collect\$3) with network\$3 with (data or information) with (device or node or workstation)) and (port with read\$3 interfac\$3 with protocol) and (MAC near3 address) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/11/14 15:09 |
|-----|---|--|------------------------------|----|-----|------------------|